






















HADAU er mwyn GWENYN ~ SEEDS FOR BEES 2017/18
Cymdeithas Eryri Wirfoddolwyr Tŷ Hyll Volunteers Snowdonia Society

	<u>Variety</u>	<u>Type/Flower</u>	<u>Sow</u>	<u>Growing conditions</u>
	<i>Eupatorium cannabinum</i> Hemp Agrimony	Native perennial Flowers July-September	In containers in cold frame in spring	Moist soil, part sun or full shade
	<i>Angelica archangelica</i> Archangel	Perennial, naturalised in places Flowers May-June	In containers in autumn	Moist fertile soil, full or partial shade
	<i>Dierama pulcherrimum</i> Angels Fishing Rod	Perennial Flowers June - July	In containers in cold frame in autumn	Humus rich, well drained soil, sheltered site in full sun
	<i>Cedronella canariensis</i> Balm of Gilead	Perennial Flowers June	In containers in Spring, 15-18°C	Well drained fertile soil, full sun
	<i>Campanula trachelium</i> Nettle-leaved Bellflower	Native Perennial Flowers July-September	In containers or in situ in spring. Self seeds	Moist but well drained fertile soil, part shade
	<i>Hyacinthoides non-scripta</i> Bluebell	Native perennial bulb Flowers April-June	In containers outdoors in autumn. Plant in situ when bulbs have formed (2 yrs)	Humus rich, moist, well drained, dapple shade
	<i>Echium vulgare</i> Vipers Bugloss	Native biennial Flowers May-September	In containers in summer 13-16°C. Over winter seedlings at 5-7°C	Well drained mod fertile. Full sun.
	<i>Silene dioica</i> Red Campion	Native perennial Flowers March-November	In situ or in containers outside, autumn or spring. Self seeds.	Moist, well-drained, part shade
	<i>Lychnis coronaria</i> Rose Campion	Biennial or short-lived perennial Flowers July-September	In containers in cold frame, autumn or spring. Self seeds.	Well drained, full sun or part shade
	<i>Daucus carota</i> Wild Carrot	Native biennial Flowers June-September	In situ in autumn or spring	Well drained, sun or part shade











HADAU er mwyn GWENYN ~ SEEDS FOR BEES 2017/18
Cymdeithas Eryri Wirfoddolwyr Tŷ Hyll Volunteers Snowdonia Society

	<u>Variety</u>	<u>Type/Flower</u>	<u>Sow</u>	<u>Growing conditions</u>
	<i>Myrrhis odorata</i> Sweet Cicily	Native perennial May-June	In containers in cold frame in spring	Moist, well drained, part shade
	<i>Salvia horminum</i> Annual Clary	Annual Flowers May-September	In containers in spring at 16-18°C	Well drained. Full sun
	<i>Salvia sclarea turkestanica</i> Clary Sage	Biennial Flowers May - August	In containers in cold frame in summer	Well drained. Full sun
	<i>Aquilegia vulgaris</i> Wild Columbine	Native perennial Flowers May-July	In situ, or in containers outdoors, autumn or spring. Self seeds.	Moist, well drained, part shade or full sun
	<i>Agrostemma githago</i> Corncockle	Very rare native annual Flowers May-August	In situ, (or biodegradable containers), in spring. Self seeds.	Well drained, full sun
	<i>Cosmos bipinnatus</i> Cosmos	Annual, self seeding Flowers May - August	In containers in spring at 16°C, or in situ in late spring	Moist well drained soil, full sun
	<i>Geranium sanguineum</i> Bloody Cranesbill	Native perennial Flowers June-August	In containers outdoors, autumn or spring	In containers outdoors, autumn or spring
	<i>Leucanthemum vulgare</i> Ox-eye Daisy	Native Perennial Flowers May - September	In containers in cold frame in autumn or spring	Moist , well drained in sun or part shade
	<i>Hesperis matronalis</i> Dames Violet	Naturalised perennial (short-lived) Flowers May-August	In situ or in containers outdoors in autumn or spring. Self seeds.	Well drained, sun or part shade
	<i>Oenothera biennis</i> Evening Primrose	Naturalised biennial Flowers July-October	In situ or in containers in cold frame, late spring or autumn. Self seeds	Well drained part shade or sun











HADAU er mwyn GWENYN ~ SEEDS FOR BEES 2017/18
Cymdeithas Eryri Wirfoddolwyr Tŷ Hyll Volunteers Snowdonia Society

	<u>Variety</u>	<u>Type/Flower</u>	<u>Sow</u>	<u>Growing conditions</u>
	<i>Foeniculum vulgare</i> Fennel	Perennial herb July-September	In situ or in containers in spring 13-18°C	Moist, well drained, fertile, full sun
	<i>Digitalis purpurea</i> Wild Foxglove	Native biennial or short lived perennial Flowers June-September	In situ or in containers outdoors. Self seeds.	Well drained, part shade or sun.
	<i>Fritilaria imperialis</i> Crown Imperial Fritillary	Perennial Flowers June	In cold frame in autumn for germination in spring	Fertile well drained soil, full sun
	<i>Gentiana asclepiadea</i> Willow Gentian	Hardy Perennial Flowers July-October	In containers in autumn or spring	Moist, well drained neutral to acid soil. Partial shade
	<i>Geranium psilostemon</i> Armenian Geranium	Hardy perennial Flowers June-August	In containers outdoors, autumn or spring	Well drained, full sun or partial shade
	<i>Geranium [pratense var.]</i> Blue Geranium	Cultivar of native perennial Flowers June-September	In containers outdoors, autumn or spring	Well drained, full sun or partial shade
	<i>Geranium x oxonianum</i> Pink Geranium	Hardy perennial Flowers June-September	In containers outdoors in autumn or spring	Well drained, full sun or partial shade
	<i>Gladiolus byzantinus</i> Byzantine Gladiolus	Perennial Flowers April - June	In containers in cold frame in spring	Well drained fertile soil, full sun
	<i>Solidago virgaurea</i> Goldenrod	Native perennial Flowers June-September	In situ or containers in autumn or spring	Well drained poor to moderately fertile soil in full sun
	<i>Alcea rosea</i> Hollyhock [mixed]	Perennial Flowers June-August	In situ or containers in late spring	Well drained soil, full sun











HADAU er mwyn GWENYN ~ SEEDS FOR BEES 2017/18
Cymdeithas Eryri Wirfoddolwyr Tŷ Hyll Volunteers Snowdonia Society

	<u>Variety</u>	<u>Type/Flower</u>	<u>Sow</u>	<u>Growing conditions</u>
	<i>Lunaria annua</i> Honesty	Naturalised biennial Flowers April-June	In situ or in containers outside in autumn. Self seeds.	Moist, well drained, sun or part shade
	<i>Cerinthe major</i> Honeywort	Hardy Annual Flowers May-August	In situ or in containers in spring at 13-18°C. Self seeds.	Well drained, alkaline poor soil. Sun or part shade
	<i>Iris pseudocarus</i> Yellow Flag Iris	Native perennial Flowers June - September	In containers in autumn or spring	Humus rich wet ground and pond margins
	<i>Polemonium caeruleum</i> Jacobs Ladder	Locally native perennial Flowers June-August	In containers in cold frame, spring or autumn	Moist, well drained, fertile, sun or part shade
	<i>Polemonium brandegeei</i> Yellow Jacob's Ladder	Perennial, self seeds Flowers June - August	In containers in cold frame, autumn or spring	Moist, well drained fertile soil, sun or partial shade
	<i>Centaurea nigra</i> Knapweed	Native Perennial Flowers June-September	In containers in cold frame in spring	Well drained, full sun
	<i>Lavandula angustifolia</i> Lavender	Shrub Flowers June - September	In containers in cold frame in spring	Well drained soil in full sun
	<i>Paradisea lusitanica</i> St Bruno's Lily	Cultivated perennial bulb Flowers May-July	Container in cold frame, autumn or spring. Plant when bulbs formed (2 yrs).	Moist, well-drained, full sun
	<i>Malva moschata</i> Musk Mallow	Native perennial Flowers July-August	In situ or in containers early spring to early summer.	Well drained mod fertile soil. Full sun
	<i>Malva arborea</i> Tree Mallow	Native short-lived perennial Flowers June-Sept	In containers spring to summer	Well drained mod fertile soil. Full sun

HADAU er mwyn GWENYN ~ SEEDS FOR BEES 2017/18
Cymdeithas Eryri Wirfoddolwyr Tŷ Hyll Volunteers Snowdonia Society

	<u>Variety</u>	<u>Type/Flower</u>	<u>Sow</u>	<u>Growing conditions</u>
	<i>Glebionis segetum</i> Corn Marigold	Native Perennial Flowers June - September	In cold frame in spring, or in situ from spring to early summer	Well drained soil in full sun
	<i>Origanum vulgare</i> Marjoram	Native Perennial Flowers July-October	In container in cold frame, in autumn, or in spring at 10 - 13°C	Well drained, full sun (will tolerated part shade)
	<i>Astrantia major</i> Masterwort	Perennial, naturalised in places Flowers June-September	In containers in cold frame in autumn	Moist humus-rich soil in sun or partial shade
	<i>Filipendula ulmaria</i> Meadowsweet	Native perennial Flowers June-September	In containers in cold frame in autumn, or spring at 10-13°C	Moist soil, sun or part shade
	<i>Verbascum thapsus</i> Great Mullein	Native biennial Flowers June-August	In containers in cold frame, autumn or late spring. Self seeds.	Well drained, full sun
	<i>Papaver atlanticum</i> Atlas Poppy	Perennial Flowers May-October	In containers in cold frame, spring or autumn. Cover seeds thinly. Self seeds.	Fertile well drained soil in sun
	<i>Papaver somniferum</i> Opium Poppy	Naturalised annual Flowers June-August	In situ, in spring. Self seeds	Well drained fertile soil, full sun
	<i>Papaver orientale</i> Oriental Poppy	Perennial, becoming naturalised Flowers May-July	In containers in cold frame in spring	Well drained fertile soil, full sun
	<i>Meconopsis cambrica</i> Welsh Poppy	Native perennial Flowers June-August	In situ or containers outside, autumn or spring. Self seeds.	Moist, well-drained, partial shade
	<i>Primula bulleyana</i> Candelabra Primrose	Perennial Flowers June- July	In containers in autumn, late winter or early spring	Humus rich, moist soil, partial shade or full sun in constantly moist soil

HADAU er mwyn GWENYN ~ SEEDS FOR BEES 2017/18
Cymdeithas Eryri Wirfoddolwyr Tŷ Hyll Volunteers Snowdonia Society

	<u>Variety</u>	<u>Type/Flower</u>	<u>Sow</u>	<u>Growing conditions</u>
	<i>Lychnis flos-cuculi</i> Ragged Robin	Native perennial Flowers April - June	In containers in autumn or spring	Moist soil, partial shade or sun
	<i>Succisa pratensis</i> Devils Bit Scabious	Native perennial Flowers June-October	In situ or in containers in cold frame in autumn or spring	Moist soil, full sun or part shade
	<i>Knautia macedonica</i> Macedonian Scabious	Perennial Flowers June - September	In containers in cold frame in spring	Well drained soil in full sun
	<i>Scabiosa columbaria</i> Small Scabious	Native perennial Flowers July - October	In containers in cold frame autumn or spring	Well drained soil full sun
	<i>Antirrhinum majus</i> Snapdragon	Naturalised perennial Flowers May - October	Late summer or early spring	Fertile well drained soil. Full sun
	<i>Dianthus barbatus</i> Sweet William	Biennial, short lived perennial Flowers April-September	In situ or in containers in autumn, or in spring at 13°C	Well drained neutral soil. Full sun.
	<i>Dipsacus fullonum</i> Teasel	Native biennial Flowers July-August	In containers or in situ in autumn or spring	Any soil, sun or part shade
	<i>Linaria aeruginea</i> Toadflax	Perennial Flowers May - August	In containers autumn or early spring	Well drained soil, full sun or dappled shade
	<i>Lotus corniculata</i> Birds Foot Trefoil	Native perennial Flowers May-September	In containers outdoors, autumn or spring	Well drained mod fertile soil. Full sun
	<i>Francoa sonchifolia</i> Wedding Flower	Perennial Flowers May - July	In containers in spring at 15-24*	Moist, well drained, full sun or partial shade